

Dane do obliczeń : FERMA DROBIU WL.SIEMEK PRUSINOWICE (ROZBUDOWA) - PORA DZIENNA

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
=====					
1	635.4	393.3	7.0	77.9	wd
2	639.4	383.7	7.0	77.9	wd
3	644.0	374.6	7.0	77.9	wd
4	647.6	366.6	7.0	77.9	wd
5	652.2	356.6	7.0	77.9	wd
6	632.5	401.4	7.0	77.9	wd
7	627.9	409.8	7.0	77.9	wd
8	623.1	420.6	7.0	77.9	wd
9	655.3	345.5	1.5	75.0	s
10	660.3	347.9	1.5	75.0	s
11	646.6	432.6	7.0	77.9	wd
12	651.4	422.8	7.0	77.9	wd
13	656.0	412.0	7.0	77.9	wd
14	660.6	403.4	7.0	77.9	wd
15	664.4	394.2	7.0	77.9	wd
16	669.4	385.4	7.0	77.9	wd
17	673.3	377.9	7.0	77.9	wd
18	678.1	367.8	7.0	77.9	wd
19	680.0	357.0	1.5	75.0	s
20	685.3	359.2	1.5	75.0	s
21	670.9	445.8	7.0	77.9	wd
22	676.4	434.8	7.0	77.9	wd
23	681.4	424.7	7.0	77.9	wd
24	686.5	415.8	7.0	77.9	wd
25	690.1	405.5	7.0	77.9	wd
26	695.4	395.2	7.0	77.9	wd
27	700.2	385.8	7.0	77.9	wd
28	704.0	377.0	7.0	77.9	wd
29	704.2	367.8	1.5	75.0	s
30	711.0	370.5	1.5	75.0	s
31	721.0	417.0	9.0	77.9	wn
32	726.6	405.3	9.0	77.9	wn
33	731.1	394.7	9.0	77.9	wn
34	737.1	384.2	9.0	77.9	wn
35	741.2	374.8	9.0	77.9	wn
36	744.8	364.2	9.0	77.9	wn
37	716.2	427.8	9.0	77.9	wn
38	710.7	438.9	9.0	77.9	wn
39	706.4	449.4	9.0	77.9	wn
40	702.1	460.7	9.0	77.9	wn
41	741.2	353.9	1.5	75.0	sn
42	746.0	356.3	1.5	75.0	sn
43	749.8	357.8	1.5	75.0	sn
44	753.4	359.4	1.5	75.0	sn
45	743.6	355.4	3.0	75.0	sn
46	752.0	359.0	3.0	75.0	sn
47	727.3	471.8	9.0	77.9	wn
48	732.3	460.2	9.0	77.9	wn
49	736.6	449.7	9.0	77.9	wn

50	741.0	438.6	9.0	77.9	wn
51	745.0	427.1	9.0	77.9	wn
52	750.3	415.8	9.0	77.9	wn
53	754.9	404.6	9.0	77.9	wn
54	759.9	394.0	9.0	77.9	wn
55	765.2	382.7	9.0	77.9	wn
56	770.0	373.1	9.0	77.9	wn
57	765.9	365.7	1.5	75.0	sn
58	769.5	367.1	1.5	75.0	sn
59	775.3	369.0	1.5	75.0	sn
60	779.4	371.0	1.5	75.0	sn
61	767.6	366.2	3.0	75.0	sn
62	777.2	370.0	3.0	75.0	sn
63	756.3	484.0	9.0	77.9	wn
64	760.9	472.7	9.0	77.9	wn
65	765.0	461.2	9.0	77.9	wn
66	769.3	449.7	9.0	77.9	wn
67	774.6	439.4	9.0	77.9	wn
68	780.1	427.1	9.0	77.9	wn
69	783.9	416.8	9.0	77.9	wn
70	789.7	404.3	9.0	77.9	wn
71	793.0	395.9	9.0	77.9	wn
72	797.1	388.0	9.0	77.9	wn
73	792.6	378.4	1.5	75.0	sn
74	798.6	380.6	1.5	75.0	sn
75	803.4	382.7	1.5	75.0	sn
76	807.0	384.2	1.5	75.0	sn
77	796.2	379.8	3.0	75.0	sn
78	805.3	383.4	3.0	75.0	sn
79	626.5	430.2	3.0	88.0	R
80	711.4	463.6	3.0	88.0	RN
81	658.4	300.8	1.0	72.2	st
82	746.4	498.6	1.0	64.9	ht
83	654.0	312.0	1.0	69.6	zp-
84	647.6	327.6	1.0	69.6	zp-
85	641.3	343.3	1.0	69.6	zp-
86	634.9	358.9	1.0	69.6	zp-
87	628.5	374.5	1.0	69.6	zp-
88	622.1	390.1	1.0	69.6	zp-
89	615.8	405.8	1.0	69.6	zp-
90	609.4	421.4	1.0	69.6	zp-
91	603.0	437.0	1.0	69.6	zp-
92	615.0	442.0	1.0	69.6	zp-
93	629.5	448.5	1.0	69.6	zp-
94	644.0	455.0	1.0	69.6	zp-
95	658.5	461.5	1.0	69.6	zp-
96	673.0	468.0	1.0	69.6	zp-
97	687.5	474.5	1.0	69.6	zp-
98	702.0	481.0	1.0	69.6	zp-
99	716.5	487.5	1.0	69.6	zp-
100	731.0	494.0	1.0	69.6	zp-

=====

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
BI-1	610.0	434.6	620.7	439.6	663.2	349.5	651.8	344.4	0.0	6.5
BI-2	634.4	446.1	676.4	355.6	687.9	360.7	645.3	451.4	0.0	5.6
BI-3	659.0	457.8	701.6	366.8	713.1	371.9	670.2	463.4	0.0	6.5
BN-1	686.5	469.3	738.6	353.7	755.4	360.7	704.4	476.6	0.0	8.5
BN-2	713.1	479.4	762.9	364.9	780.8	372.4	732.1	486.7	0.0	8.5
BN-3	742.5	489.8	789.0	377.5	808.6	386.2	762.9	497.3	0.0	8.5

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr	źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
BI-1	sc.1 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
BI-2	sc.1 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
BI-3	sc.1 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr	źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
BN-1	sc.1 L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew		70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew		70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew		70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew		70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr źródła			A	63	125	250	500	1000	2000	4000	8000 wsp.odb.
=====											
BN-2	sc.1	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr źródła			A	63	125	250	500	1000	2000	4000	8000 wsp.odb.
=====											
BN-3	sc.1	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											